

**PROPOSED PERMANENT REGULATION OF THE
NEVADA STATE ENVIRONMENTAL COMMISSION**

P2014-05

June 27, 2014

AUTHORITY: §§1-318, NRS 445A.425 and 445A.520.

A PERMANENT REGULATION relating to water quality; making various changes in provisions that establish standards for water quality; and providing other matters properly relating thereto.

PETITION P2014-05 Changes to the Nevada Administrative Code revising the Nevada water quality regulations for former “Class Waters” located in the Upper Humboldt River Basin

Proposed Revisions:

The proposed updates to the NAC are shown below with **deletions in red and strikeout** and **additions in blue**:

NAC 445A.1432 Humboldt Region: Designated beneficial uses. (NRS 445A.425, 445A.520)

The designated beneficial uses for select bodies of water within the Humboldt Region are prescribed in this section:

Water Body Name	Segment Description	Beneficial Uses											Aquatic Species of Concern	Water Quality Standard NAC Reference	
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Humboldt River near Osino	From the upstream source of the main stem to Osino.	X	X	X	X	X	X	X	X	X				Warm-water fishery	445A.1436
Humboldt River at Palisade	From Osino to the Palisade Gage.	X	X	X	X	X	X	X	X	X				Warm-water fishery	445A.1438
Humboldt River at Battle Mountain	From the Palisade Gage to the Battle Mountain Gage.	X	X	X	X	X	X	X	X	X				Warm-water fishery	445A.1442
Humboldt River at State Highway 789	From the Battle Mountain Gage to where State Highway 789 crosses the Humboldt River.	X	X	X	X	X	X	X	X	X				Warm-water fishery	445A.1444
Humboldt River at Imlay	From the Comus Gage to Imlay.	X	X	X	X	X	X	X	X	X				Warm-water fishery	445A.1446
Humboldt River at Woolsey	From Imlay to Woolsey.	X	X	X	X	X	X	X	X	X				Warm-water fishery	445A.1448
Humboldt River	From Woolsey to Rodgers	X	X	X	X	X	X	X	X	X					445A.1452

Water Body Name	Segment Description	Beneficial Uses											Aquatic Species of Concern	Water Quality Standard NAC Reference	
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
at Rodgers Dam	Dam.														
Humboldt River at the Humboldt Sink	From Rodgers Dam to the Humboldt Sink.	X	X	X	X	X		X	X						445A.1454
The Humboldt Sink	The entire sink.	X	X	X		X		X	X						445A.1455
Humboldt River, North Fork and tributaries at the national forest boundary	From their origin in the Independence Mountain Range to the national forest boundary.	X	X	X	X	X	X	X	X						445A.1456
Humboldt River, North Fork at Beaver Creek	From the national forest boundary to its confluence with Beaver Creek.	X	X	X	X	X	X	X	X					Trout	445A.1458
Humboldt River, North Fork at the Humboldt River	From its confluence with Beaver Creek to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X						445A.1462
Humboldt River, South Fork and tributaries at Lee	From their origin to Lee, except for the lengths of the river and tributaries within the exterior borders of the South Fork Indian Reservation.	X	X	X	X	X	X	X	X						445A.1464
Humboldt River, South Fork at the Humboldt River	From Lee to its confluence with the Humboldt River, except for the lengths of the river and tributaries within the exterior borders of the South Fork Indian Reservation.	X	X	X	X	X	X	X	X					Trout	445A.1466
Little Humboldt River	The entire length.	X	X	X	X	X	X	X	X						445A.1468
Little Humboldt River, North Fork at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X						445A.1472
Little Humboldt River, North Fork at the South Fork of the Little Humboldt River	From the national forest boundary to its confluence with the South Fork of the Little Humboldt River.	X	X	X	X	X	X	X	X						445A.1474
Little Humboldt River, South Fork at the Elko-Humboldt county line	From its origin to the Elko-Humboldt county line.	X	X	X	X	X	X		X						445A.1476
Little Humboldt River, South Fork	From the Elko-Humboldt county line to its confluence	X	X	X	X	X	X	X	X						445A.1478

Water Body Name	Segment Description	Beneficial Uses											Aquatic Species of Concern	Water Quality Standard NAC Reference	
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
at the North Fork of the Little Humboldt River	with the North Fork of the Little Humboldt River.														
Marys River, upper	From its origin to the point where the river crosses the east line of T. 42 N., R. 59 E., M.D.B. & M.	X	X	X	X	X	X	X	X	X					445A.1482
Marys River at the Humboldt River	From the east line of T. 42 N., R. 59 E., M.D.B. & M., to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X	X				Trout	445A.1484
Tabor Creek	From its origin to the east line of T. 40 N., R. 60 E., M.D.B. & M.	X	X	X	X	X	X	X	X	X					445A.1486
Maggie Creek Tributaries	From their origin to the point where they become Maggie Creek or the point of their confluence with Maggie Creek.	X	X	X	X	X	X	X	X	X					445A.1488
Maggie Creek at Jack Creek	From where it is formed by the Maggie Creek tributaries to its confluence with Jack Creek.	X	X	X	X	X	X	X	X	X				Trout	445A.1492
Maggie Creek at Soap Creek	From its confluence with Jack Creek to its confluence with Soap Creek.	X	X	X	X	X	X	X	X	X				Trout	445A.1494
Maggie Creek at the Humboldt River	From its confluence with Soap Creek to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X	X					445A.1496
Secret Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X	X	X	X					445A.1498
Secret Creek at the Humboldt River	From the national forest boundary to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X	X				Trout	445A.1502
Lamoille Creek at the gaging station	From its origin to gaging station number 10-316500, located in the NE 1/4 of section 6, T. 32 N., R. 58 E., M.D.B. & M.	X	X	X	X	X	X	X	X	X					445A.1504
Lamoille Creek at the Humboldt River	From gaging station number 10-316500, located in the NE 1/4 of section 6, T. 32 N., R. 58 E., M.D.B. & M., to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X	X					445A.1506
J.D. Ponds	The entire area.	X	X	X	X	X	X	X	X	X					445A.1508
Denay Creek at Tonkin Reservoir	From its origin to Tonkin Reservoir.	X	X	X	X	X	X	X	X	X					445A.1512
Tonkin Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X	X					445A.1514
Denay Creek below Tonkin	Below Tonkin Reservoir.	X	X	X	X	X	X	X	X	X					445A.1516

Water Body Name	Segment Description	Beneficial Uses											Aquatic Species of Concern	Water Quality Standard NAC Reference	
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Reservoir															
Rock Creek at Squaw Valley Ranch	From its origin to Squaw Valley Ranch.	X	X	X	X	X	X		X						445A.1518
Willow Creek at Willow Creek Reservoir	From its origin to Willow Creek Reservoir.	X	X	X	X	X	X		X						445A.1524
Willow Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout		445A.1526
Pole Creek	From its origin to the point of diversion of the Golconda water supply, near the north line of section 13, T. 35 N., R. 39 E., M.D.B. & M.	X	X	X	X	X	X		X						445A.1528
Water Canyon Creek	From its origin to the point of diversion of the Winnemucca municipal water supply, near the west line of section 12, T. 35 N., R. 38 E., M.D.B. & M.	X	X	X	X	X	X		X						445A.1532
Martin Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X						445A.1534
Martin Creek below the national forest boundary	From the national forest boundary to the first diversion in T. 42 N., R. 40 E., M.D.B. & M.	X	X	X	X	X	X	X	X				Trout		445A.1536
Dutch John Creek	The entire length	X	X	X	X	X	X		X						445A.1538
Huntington Creek at the White Pine-Elko county line	From its origin to the White Pine-Elko county line.	X	X	X	X	X	X	X	X						445A.1542
Huntington Creek at Smith Creek	From the White Pine-Elko county line to its confluence with Smith Creek.	X	X	X	X	X	X	X	X				Trout		445A.1544
Huntington Creek at the South Fork of the Humboldt River	From its confluence with Smith Creek to its confluence with the South Fork of the Humboldt River.	X	X	X	X	X	X	X	X						445A.1546
Green Mountain Creek at the national forest boundary <i>Toyn Creek</i>	From its origin to the national forest boundary <i>to its confluence with Toyn Creek.</i>	X	X	X	X	X	X	X	X						445A.1548
Toyn Creek at Green Mountain Creek	From its origin to the national forest boundary <i>its confluence with Green Mountain Creek.</i>	X	X	X	X	X	X	X	X						445A.1554
Green Mountain Creek <i>Toyn Creek</i> at Corral Creek	From the national forest boundary <i>its confluence with Green Mountain Creek</i> to its confluence with Corral Creek.	X	X	X	X	X	X	X	X				Trout		445A.1552 5
Reese River at	From its origin to its confluence	X	X	X	X	X	X		X						445A.1556

Noncontact	Recreation not involving contact with the water
Municipal	Municipal or domestic supply, or both
Wildlife	Propagation of Wildlife
Aquatic	Propagation of aquatic life
Aesthetic	Water of extraordinary ecological or aesthetic value
Enhance	Enhancement of water quality
Marsh	Maintenance of a freshwater marsh

NAC 445A.1456 Humboldt Region: Humboldt River, North Fork and tributaries at the national forest boundary. (NRS 445A.425, 445A.520) The limits of this table apply to the bodies of water known as the North Fork of the Humboldt River and its tributaries in the Independence Mountain Range from their origin to the national forest boundary. This segment of the North Fork of the Humboldt River and tributaries is located in Elko County.

STANDARDS OF WATER QUALITY
Humboldt River, North Fork and tributaries at the national forest boundary

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1458 Humboldt Region: Humboldt River, North Fork at Beaver Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the bodies of water known as the North Fork of the Humboldt River from the national forest boundary to its confluence with Beaver Creek. This segment of the North Fork of the Humboldt River is located in Elko County.

STANDARDS OF WATER QUALITY
Humboldt River, North Fork at Beaver Creek

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1462 Humboldt Region: Humboldt River, North Fork at the Humboldt River. (NRS 445A.425, 445A.520) The limits of this table apply to the bodies of water known as the North Fork of the Humboldt River from its confluence with Beaver Creek to its confluence with the Humboldt River. This segment of the North Fork of the Humboldt River is located in Elko County.

STANDARDS OF WATER QUALITY
Humboldt River, North Fork at the Humboldt River

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 24 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 1.0</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 80</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 50</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1464 Humboldt Region: Humboldt River, South Fork and tributaries at Lee (NRS 445A.425, 445A.520) The limits of this table apply to the bodies of water known as the South Fork of the Humboldt River and its tributaries from their origin to Lee, except for the lengths of the river and tributaries within the exterior borders of the South Fork Indian Reservation. This segment of the South Fork of the Humboldt River and tributaries is located in Elko County.

STANDARDS OF WATER QUALITY
Humboldt River, South Fork and tributaries at Lee

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*			X	X	*					
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X			X					
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>				*		<i>X</i>					
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*				<i>X</i>		<i>X</i>					
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>							*							
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X					*							
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*				<i>X</i>		<i>X</i>					
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>							*							
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1466 Humboldt Region: Humboldt River, South Fork at the Humboldt River.
(NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as the South Fork of the Humboldt River from Lee to its confluence with the Humboldt River. This segment of the South Fork of the Humboldt River is located in Elko County.

STANDARDS OF WATER QUALITY
Humboldt River, South Fork at the Humboldt River

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1482 Humboldt Region: Marys River, upper. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known Marys River from its origin to the point where the River crosses the east line of T. 42 N, R. 59 E., M.D.B. & M. This segment of Marys River is located in Elko County.

STANDARDS OF WATER QUALITY
Marys River, upper

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*		X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X		X						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*			X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1484 Humboldt Region: Marys River at the Humboldt River. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known Marys River from the east line of T. 42 N, R. 59 E., M.D.B. & M to its confluence with the Humboldt River. This segment of Marys River is located in Elko County.

STANDARDS OF WATER QUALITY
Marys River at the Humboldt River

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT ^b - °C		S.V. ≤ 20 ΔT = 0			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) – mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) – mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. ≤ 860^d</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410					*	X								
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1486 Humboldt Region: Tabor Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known Tabor Creek from its origin to the east line of T. 40 N, R. 60 E., M.D.B. & M. Tabor Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Tabor Creek

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*		X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X		X						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*			X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1488 Humboldt Region: Maggie Creek Tributaries. (NRS 445A.425, 445A.520)

The limits of this table apply to the bodies of water known as the Maggie Creek Tributaries from their origin to the point where they become Maggie Creek or the point of their confluence with Maggie Creek. The Maggie Creek Tributaries are located in Elko County.

**STANDARDS OF WATER QUALITY
Maggie Creek Tributaries**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*		X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X		X						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*			X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1492 Humboldt Region: Maggie Creek at Jack Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as the Maggie Creek from where it is formed by the Maggie Creek Tributaries to its confluence with Jack Creek. This segment of Maggie Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Maggie Creek at Jack Creek

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410					*	X								
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1494 Humboldt Region: Maggie Creek at Soap Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as the Maggie Creek from its confluence with Jack Creek to its confluence with Soap Creek. This segment of Maggie Creek is located in Elko County.

**STANDARDS OF WATER QUALITY
Maggie Creek at Soap Creek**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT ^b - °C		S.V. ≤ 20 ΔT = 0			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.33			*	*	X	X								
<i>Nitrate (as N) – mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) – mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. ≤ 860^d</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1496 Humboldt Region: Maggie Creek at the Humboldt River. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as the Maggie Creek from its confluence with Soap Creek to its confluence with the Humboldt River. This segment of Maggie Creek is located in Elko County.

**STANDARDS OF WATER QUALITY
Maggie Creek at the Humboldt River**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 34 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.33			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			<i>*</i>		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 1.0</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 80</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 50</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						<i>*</i>								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				<i>*</i>								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						<i>*</i>								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			<i>*</i>					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1498 Humboldt Region: Secret Creek at the national forest boundary. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Secret Creek from its origin to the national forest boundary. This segment of Secret Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Secret Creek at the national forest boundary

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a														
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Beneficial Uses			X	X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																	
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X											
pH - SU		S.V. 6.5 - 9.0	X	X	*	*			X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X			X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X									
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*			X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X			X						
Total Ammonia (as N) - mg/l		^c			*			X									
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*												
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*												
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*									
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*									
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*				X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*									
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X										
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X			X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1502 Humboldt Region: Secret Creek at the Humboldt River. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Secret Creek from the national forest boundary to its confluence with the Humboldt River. This segment of Secret Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Secret Creek at the Humboldt River

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) – mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) – mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1504 Humboldt Region: Lamoille Creek at the gaging station. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Lamoille Creek from its origin to gaging station number 10-316500, located in the NE 1/4 of section 6, T. 32 N., R. 58 E., M.D.B. & M. This segment of Lamoille Creek is located in Elko County.

**STANDARDS OF WATER QUALITY
Lamoille Creek at the gaging station**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a														
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Beneficial Uses			X	X	X	X	X	X	X	X	X						
Aquatic Life Species of Concern																	
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X											
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*							
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X							
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X									
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>							
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>							
Total Ammonia (as N) - mg/l		^c			*			X									
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*												
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*												
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*									
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*									
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>							
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*									
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X										
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X							

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1506 Humboldt Region: Lamoille Creek at the Humboldt River. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Lamoille Creek from gaging station number 10-316500, located in the NE 1/4 of section 6, T. 32 N., R. 58 E., M.D.B. & M., to its confluence with the Humboldt River. This segment of Lamoille Creek is located in Elko County.

**STANDARDS OF WATER QUALITY
Lamoille Creek at the Humboldt River**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 24 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*			X	X	*					
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X			X					
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>				*		<i>X</i>					
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 1.0</i>	<i>X</i>		*				<i>X</i>		<i>X</i>					
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 80</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 50</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>							*							
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X					*							
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*				<i>X</i>		<i>X</i>					
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>							*							
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1508 Humboldt Region: J.D. Ponds. (NRS 445A.425, 445A.520) The limits of this table apply to the entire body of water known as J.D. Ponds. J.D. Ponds is located in Eureka County.

**STANDARDS OF WATER QUALITY
J.D. Ponds**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a												
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh		
Beneficial Uses			X	X	X	X	X	X	X	X	X				
Aquatic Life Species of Concern															
Temperature - °C ΔT^b - °C		S.V. ≤ 34 $\Delta T = 0$			*	X									
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*					
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X		X					
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.33			*	*	X	X							
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			<i>*</i>		<i>X</i>					
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 1.0</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>					
Total Ammonia (as N) - mg/l		^c			*			X							
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 80</i>			<i>*</i>										
<i>Turbidity - NTU</i>		<i>S.V. ≤ 50</i>			<i>*</i>										
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						<i>*</i>							
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				<i>*</i>							
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>					
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						<i>*</i>							
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			<i>*</i>					<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X								
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1512 Humboldt Region: Denay Creek at Tonkin Reservoir. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Denay Creek from its origin to Tonkin Reservoir. This segment of Denay Creek is located in Eureka County.

STANDARDS OF WATER QUALITY
Denay Creek at Tonkin Reservoir

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*		X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X		X						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*			X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1514 Humboldt Region: Tonkin Reservoir. (NRS 445A.425, 445A.520) The limits of this table apply to the entire body of water known as Tonkin Reservoir. Tonkin Reservoir is located in Eureka County.

**STANDARDS OF WATER QUALITY
Tonkin Reservoir**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*		X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X		X						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*			X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1516 Humboldt Region: Denay Creek below Tonkin Reservoir. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Denay Creek below Tonkin Reservoir. This segment of Denay Creek is located in Eureka County.

**STANDARDS OF WATER QUALITY
Denay Creek below Tonkin Reservoir**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 24 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			<i>*</i>		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 1.0</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 80</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 50</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						<i>*</i>								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				<i>*</i>								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						<i>*</i>								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			<i>*</i>					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410					*	X								
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1542 Humboldt Region: Huntington Creek at the White Pine-Elko county line. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Huntington Creek from its origin to the White Pine-Elko county line. This segment of Huntington Creek is located in White Pine County.

STANDARDS OF WATER QUALITY
Huntington Creek at the White Pine-Elko county line

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a														
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Beneficial Uses			X	X	X	X	X	X	X	X	X						
Aquatic Life Species of Concern																	
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X											
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*							
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X							
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X									
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>							
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>							
Total Ammonia (as N) - mg/l		^c			*			X									
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*												
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*												
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*									
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*									
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>							
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*									
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X										
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X							

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1544 Humboldt Region: Huntington Creek at Smith Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Huntington Creek from the White Pine-Elko county line to its confluence with Smith Creek. This segment of Huntington Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Huntington Creek at Smith Creek

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT ^b - °C		S.V. ≤ 20 ΔT = 0			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) – mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) – mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. ≤ 860^d</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*						<i>X</i>					
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410					*	X								
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1546 Humboldt Region: Huntington Creek at the South Fork of the Humboldt River. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Huntington Creek from its confluence with Smith Creek to its confluence with the South Fork of the Humboldt River. This segment of Huntington Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Huntington Creek at the South Fork of the Humboldt River

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 24 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			<i>*</i>		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 1.0</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 80</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 50</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						<i>*</i>								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				<i>*</i>								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						<i>*</i>								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			<i>*</i>					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1548 Humboldt Region: Green Mountain Creek at ~~the national forest boundary~~ Toyn Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Green Mountain Creek from its origin to ~~the national forest boundary its confluence with Toyn Creek.~~ **This segment of** Green Mountain Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Green Mountain Creek at ~~the national forest boundary~~ **Toyn Creek**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	X		X			*		X						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	X		*			X		X						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	X		*			X		X						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					X						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1554 Humboldt Region: Toyn Creek at Green Mountain Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Toyn Creek from its origin to **the national forest boundary its confluence with Green Mountain Creek.** *This segment of Toyn Creek is located in Elko County.*

STANDARDS OF WATER QUALITY
Toyn Creek *at Green Mountain Creek*

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern																
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) - mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) - mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		*			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.15525 Humboldt Region: Green Mountain Toyn Creek at Corral Creek.
(NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as **Green Mountain Toyn** Creek from **the national forest boundary from its confluence with Green Mountain Creek** to its confluence with Corral Creek. This segment of **Green Mountain Toyn** Creek is located in Elko County.

STANDARDS OF WATER QUALITY
Green Mountain Toyn Creek at Corral Creek

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT^b - °C		S.V. ≤ 20 $\Delta T = 0$			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) – mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			<i>*</i>		<i>X</i>						
<i>Nitrite (as N) – mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			<i>*</i>											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			<i>*</i>											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						<i>*</i>								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				<i>*</i>								
<i>Chloride - mg/l</i>		<i>1-hr Avg. $\leq 860^d$</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						<i>*</i>								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			<i>*</i>					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410					*	X								
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*				X	X		X					

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*

NAC 445A.1578 Humboldt Region: Starr Creek. (NRS 445A.425, 445A.520) The limits of this table apply to the body of water known as Starr Creek from the confluence of Ackler and Herder Creeks to the Humboldt River. Starr Creek is located in Elko County.

**STANDARDS OF WATER QUALITY
Starr Creek**

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Trout													
Temperature - °C ΔT ^b - °C		S.V. ≤ 20 ΔT = 0			*	X										
pH - SU		S.V. 6.5 - 9.0	X	X	*	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 6.0	X		*	X	X	X		X						
Total Phosphorus (as P) - mg/l		S.V. ≤ 0.10			*	*	X	X								
<i>Nitrate (as N) – mg/l</i>		<i>S.V. ≤ 10</i>	<i>X</i>		<i>X</i>			*		<i>X</i>						
<i>Nitrite (as N) – mg/l</i>		<i>S.V. ≤ 0.06</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
Total Ammonia (as N) - mg/l		^c			*			X								
<i>Total Suspended Solids - mg/l</i>		<i>S.V. ≤ 25</i>			*											
<i>Turbidity - NTU</i>		<i>S.V. ≤ 10</i>			*											
<i>Color - PCU</i>		<i>S.V. ≤ 75</i>						*								
Total Dissolved Solids - mg/l		S.V. ≤ 500 or the 95th percentile (whichever is less).	X	X				*								
<i>Chloride - mg/l</i>		<i>1-hr Avg. ≤ 860^d</i> <i>96-hr Avg. ≤ 230</i>	<i>X</i>		<i>*</i>			<i>X</i>		<i>X</i>						
<i>Sulfate - mg/l</i>		<i>S.V. ≤ 250</i>						*								
<i>Alkalinity (as CaCO3) - mg/l</i>		<i>S.V. ≥ 20</i>			*					<i>X</i>						
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X									
Fecal Coliform - No./100 ml		S.V. ≤ 1000	X	*			X	X		X						

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1252 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*