FORM #3

RECEIVED

FORM FOR REQUESTING AN APPEAL HEARING

MAR 0 9 2012

BEFORE THE NEVADA STATE ENVIRONMENTAL COMMISSION

Address:_	775 204 2042
-	- 775.304.2043
Signature	0-16
•	anve Capacity (in applicable).
	pe of applicant: Individual, Partnership, Corporation, or Other: Individual
	son or persons authorized to receive service of notice: <u>N/A</u>
Complete	description of the business or activity and the location of the activity involved in the Proposed Jungo Landfill - T.35N. R.33E, Section 7
Hum	boldt County Assessor's Parcel # 005-411-07
	the appeal and grounds thereof: NDEP acted arbitrarily and against the rule of lay
	the appeal and grounds thereof: <u>NDEP acted arbitrarily and against the rule of lav</u> by determined that the site is not susceptable to inundation and is frequently with
when the	
when the feet of a	ey determined that the site is not susceptable to inundation and is frequently with
when the feet of a NDEP ig	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement
when the feet of a NDEP ig construe	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement gnored the NRCS soils report regarding the stated inadequacies of the soils for la ction and borrow material. NDEP relied exclusively on Recology's biased constru
when the feet of a NDEP ig construct design,	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement phored the NRCS soils report regarding the stated inadequacies of the soils for la
when the feet of a NDEP ig construe design, Section o	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement gnored the NRCS soils report regarding the stated inadequacies of the soils for la ction and borrow material. NDEP relied exclusively on Recology's biased constru- calculations, testing materials and results.
when the feet of a NDEP ig construct design, Section o Hazardou	body of water. They capriciously reduced the 100' to groundwater requirement photo of water. They capriciously reduced the 100' to groundwater requirement photo the NRCS soils report regarding the stated inadequacies of the soils for la ption and borrow material. NDEP relied exclusively on Recology's biased constru- calculations, testing materials and results. r sections of the State Air Quality Regulations, Water Pollution Control Regulations, as Waste Regulations, Solid Waste Management Regulations, or NRS section involved in
when the feet of a NDEP ig construct design, Section o Hazardou appeal:	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement proved the NRCS soils report regarding the stated inadequacies of the soils for la ction and borrow material. NDEP relied exclusively on Recology's biased constru- calculations, testing materials and results. r sections of the State Air Quality Regulations, Water Pollution Control Regulations,
when the feet of a NDEP ig construct design, Section of Hazardou appeal: NAC 44	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement proved the NRCS soils report regarding the stated inadequacies of the soils for la ction and borrow material. NDEP relied exclusively on Recology's biased constru- calculations, testing materials and results. It sections of the State Air Quality Regulations, Water Pollution Control Regulations, as Waste Regulations, Solid Waste Management Regulations, or NRS section involved in NAC 444.678. NAC 444.679. NAC 444.6795, NAC 444.6887. NAC 444.696
when the feet of a NDEP ig construct design, Section o Hazardou appeal:	ey determined that the site is not susceptable to inundation and is frequently with body of water. They capriciously reduced the 100' to groundwater requirement proved the NRCS soils report regarding the stated inadequacies of the soils for la ction and borrow material. NDEP relied exclusively on Recology's biased constru- calculations, testing materials and results. r sections of the State Air Quality Regulations, Water Pollution Control Regulations, as Waste Regulations, Solid Waste Management Regulations, or NRS section involved in NAC 444.678. NAC 444.679. NAC 444.6795. NAC 444.6887. NAC 444.696 4.6769, NAC 444.6785, NAC 444.6894, NAC 444.6435 and generally NAC 444.5
when the feet of a NDEP ig construct design, Section o Hazardou appeal:	ey determined that the site is not susceptable to inundation and is frequently with a body of water. They capriciously reduced the 100' to groundwater requirement gnored the NRCS soils report regarding the stated inadequacies of the soils for la ction and borrow material. NDEP relied exclusively on Recology's biased constru- calculations, testing materials and results. r sections of the State Air Quality Regulations, Water Pollution Control Regulations, as Waste Regulations, Solid Waste Management Regulations, or NRS section involved in NAC 444.678. NAC 444.679, NAC 444.6795, NAC 444.6887. NAC 444.696 4.6769, NAC 444.6785, NAC 444.6894, NAC 444.6435 and generally NAC 444.5 4.7499 inclusively.

Send Form To: John B. Walker, State Environmental Commission, 901 South Stewart Street, Suite 4001 Carson City, NV 89701-5249